
What is claimed is:

- 1. A two-photon absorbing polymerizable composition comprising at least a two-photon absorbing compound, a polymerization initiator and a polymerizable compound, said composition being photopolymerizable upon non-resonant two-photon absorption, wherein said two-photon absorbing compound is a methine dye.
- 2. The two-photon absorbing polymerizable composition as claimed in claim 1, wherein the methine dye is a cyanine dye, a merocyanine dye, an oxonol dye or a dye compound represented by the following formula (1):


$$X^{2} - \left(CR^{4} = CR^{3}\right)_{m} C - \left(CR^{1} = CR^{2}\right)_{n} X^{1}$$
(1)

wherein R^1 , R^2 , R^3 and R^4 each independently represents a hydrogen atom or a substituent and some of R^1 , R^2 , R^3 and R^4 may combine with each other to form a ring; n and m each independently represents an integer of 0 to 4 and when n and m each is 2 or more, the plurality of R^1 s, R^2 s, R^3 s or R^4 s may be the same or different, provided that n and m are not 0 at the same time; and X^1 and X^2 each independently represents an aryl group, a heterocyclic group or a group represented by formula (2):



wherein R^5 represents a hydrogen atom or a substituent, R^6 represents a hydrogen atom, an alkyl group, an alkenyl group, an aryl group or a heterocyclic group, and Z^1 represents an atomic group for forming a 5- or 6-membered ring.

3. The two-photon absorbing polymerizable composition as claimed in claim 2, wherein the methine dye is a compound represented by formula (1), a cyanine dye represented by the following formula (3), a merocyanine dye represented by formula (4) or an oxonol dye represented by formula (5):



$$Za_5$$

$$Ma_{12}-Ma_{13}$$

$$ka^3$$

$$Za_6$$

$$CIy$$

wherein Za_1 , Za_2 and Za_3 each represents an atomic group for forming a 5- or 6-membered nitrogen-containing heterocyclic ring, Za4, Za5 and Za6 each represents an atomic group for forming a 5- or 6-membered ring, Ra_1 , Ra_2 and Ra_3 each independently represents a hydrogen atom, an alkyl group, an alkenyl group, an aryl group or a heterocyclic group, Ma₁ to Ma₁₄ each independently represents a methine group, which may have a substituent or may form a ring together with another methine group, na¹, na² and na³ each represents 0 or 1, ka1 and ka3 each represents an integer of 0 to 3, provided that when ka1 is 2 or more, multiple Ma3s or Ma4s may be the same or different and when ka³ is 2 or more, multiple $Ma_{12}s$ or $Ma_{13}s$ may be the same or different, ka^2 represents an integer of 0 to 8, provided that when ka2 is 2 or more, multiple Ma₁₀s or Ma₁₁s may be the same or different, CI represents an ion for neutralizing the electric charge, and y represents a number necessary for the neutralization of electric charge.

4. The two-photon absorbing polymerizable composition as claimed in claim 2, wherein in the compound represented by formula (1), X^1 and X^2 each is a group

represented by formula (2).

- 5. The two-photon absorbing polymerizable composition as claimed in claim 3, wherein in the compound represented by formula (1), X^1 and X^2 each is a group represented by formula (2).
- 6. The two-photon absorbing polymerizable composition claimed in claim 1. wherein as the polymerization initiator is 1) a ketone-base polymerization initiator, 2) an organic peroxide-base polymerization initiator, 3) a bisimidazole-base polymerization initiator, 4) a trihalomethyl-substituted triazine-base polymerization initiator, 5) diazonium salt-base polymerization a diaryliodonium salt-base polymerization initiator, 6) initiator, 7) а sulfonium salt-base polymerization initiator, 8) a triphenylalkylborate-base polymerization initiator, 9) a diaryliodonium organic boron complex-base polymerization initiator, 10) a sulfonium organic boron complex-base polymerization initiator, 11) a cationic twoabsorbing compound organic boron complex-base polymerization initiator, 12) anionic an two-photon absorbing compound onium salt complex-base polymerization initiator, 13) a metal arene complex-base polymerization initiator or 14) a sulfonic acid ester-base polymerization initiator.
 - 7. The two-photon absorbing polymerizable

claimed in claim composition as 1. wherein the polymerization initiator contains a polymerization initiator of generating at least one radical and the polymerizable compound contains a radical polymerizable compound of undergoing polymerization under the action of at least one radical.

- 8. The two-photon absorbing polymerizable composition as claimed in claim 1. wherein the polymerization initiator contains а polymerization initiator of generating an acid without generating at least one radical and the polymerizable compound contains a cationic polymerizable compound of undergoing polymerization under the action of at least one acid.
- 9. The two-photon absorbing polymerizable composition as claimed in claim 1, wherein the polymerization initiator contains polymerization а initiator of generating both at least one radical and at least one acid and the polymerizable compound contains either one or both of a radical polymerizable compound of undergoing polymerization under the action of at least one radical and a cationic polymerizable compound of undergoing polymerization under the action of at least one acid.
- 10. A two-photon absorbing polymerizable composition comprising at least a two-photon absorbing compound and a polymerizable compound, said composition

being photopolymerizable upon non-resonant two-photon absorption, wherein said two-photon absorbing compound is a methine dye.

- 11. The two-photon absorbing polymerizable composition as claimed in claim 10, wherein the two-photon absorbing compound is a cyanine dye represented by formula (3), a merocyanine dye represented by formula (4), an oxonol dye represented by formula (5), or a compound represented by formula (1) where X^1 and X^2 each is a group represented by formula (2).
- 12. A polymerization process comprising irradiating the two-photon absorbing polymerizable composition claimed in claim 1 with a laser ray at a wavelength being longer than the linear absorption band of the two-photon absorbing compound and not having linear absorption, and causing a polymerization reaction by using the two-photon absorption induced.
- 13. A polymerization process comprising irradiating the two-photon absorbing polymerizable composition claimed in claim 10 with a laser ray at a wavelength being longer than the linear absorption band of the two-photon absorbing compound and not having linear absorption, and causing a polymerization reaction by using the two-photon absorption induced.
 - 14. A three-dimensional optical recording medium

comprising the two-photon absorbing polymerizable composition claimed in claim 1.

- 15. A three-dimensional optical recording medium comprising the two-photon absorbing polymerizable composition claimed in claim 10.
- 16. A stereolithography composition comprising the two-photon absorbing polymerizable composition claimed in claim 1.
- 17. A stereolithography composition comprising the two-photon absorbing polymerizable composition claimed in claim 10.
- 18. Α two-photon absorbing polymerizable composition comprising at least two-photon absorbing compound, a polymerization initiator and a polymerizable compound, said composition being photopolymerizable upon non-resonant two-photon absorption, wherein the polymerization initiator is 1) an organic peroxide-base polymerization initiator, 2) a bisimidazole-base polymerization initiator, 3) a trihalomethyl-substituted triazinebase polymerization initiator, 4) a diazonium salt-base polymerization initiator, 5) sulfonium а salt-base polymerization initiator, 6) a borate-base polymerization initiator, 7) a diaryliodonium organic boron complex-base polymerization initiator, 8) a sulfonium organic boron complex-base polymerization initiator, 9) a cationic two-

photon absorbing compound organic boron complex-base polymerization initiator, 10) an anionic two-photon absorbing compound onium salt complex-base polymerization initiator, 11) a metal arene complex-base polymerization initiator or 12) a sulfonic acid ester-base polymerization initiator.